



Commission on  
Fire Accreditation  
International

**West Des Moines Fire Department  
FIRE PREVENTION DIVISION  
(515) 273-0643**

**FLAMMABLE AND COMBUSTIBLE LIQUIDS  
PERMIT APPLICATION FORM  
\$50.00 PERMIT FEE**

**RETURN COMPLETED PERMIT FORM WITH PAYMENT TO:**

West Des Moines Fire Administration and Prevention Division  
P.O. Box 65320/318 5<sup>th</sup> Street  
West Des Moines, IA 50265

**Please check the appropriate box of examples on back**

- \_\_\_\_\_ To store, handle or use Class IA, IB or IC liquids in excess of 5 gallons indoors a building (See page 2).
- \_\_\_\_\_ To store, handle or use Class IA, IB or IC liquids in excess of 10 gallons outdoors a building (See page 2).
- \_\_\_\_\_ To store, handle or use Class II or Class IIIA liquids in excess of 25 gallons in a building.
- \_\_\_\_\_ To store, handle or use Class II or Class IIIA liquids in excess of 60 gallons outside a building.
- \_\_\_\_\_ To remove, handle or use Class I or Class II liquids from an underground storage tank used for fueling motor vehicles by any means other than the approved, stationary on-site pumps normally used for dispensing purposes.
- \_\_\_\_\_ To install, construct, alter or operate tank vehicles, equipment, tanks, plants, terminals, wells, fuel-dispensing stations, refineries, distilleries, and similar facilities where flammable and combustible liquids are produced, processes, transported, stored, dispensed or used.
- \_\_\_\_\_ To install, alter, remove, abandon, place temporarily out of service or otherwise dispose of a flammable or combustible tank.
- \_\_\_\_\_ To change the type of contents stored in a flammable or combustible liquid tanks to a material other than which the tank was designed and constructed.
- \_\_\_\_\_ To use or operate a pipeline for the transportation within facilities of flammable or combustible liquids with the exception of off-site transportation in pipelines regulated by the D.O.T.
- \_\_\_\_\_ To store or use Class I liquids in the fuel tank of a motor vehicle, aircraft, motorboat, mobile power plant or mobile heating plant when such storage, in the opinion of the Fire Chief, would cause an unsafe condition.
- \_\_\_\_\_ To store or use paints, oils, varnishes, or similar flammable mixtures when such liquids are stored for maintenance, painting or similar purposes for a period more than 30 days.

BUSINESS NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_ ZIP: \_\_\_\_\_

PHONE: \_\_\_\_\_ CONTACT NAME: \_\_\_\_\_

Product Name:	Amount (in gallons):	Storage or Use	
		Indoors	Outdoors
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Please attach additional sheets if needed.



If you do not find your product on this sheet, please consult your supplier.

**Flammable Liquids**

**Class IA**

Automotive Gasoline  
Aviation Gasoline  
Jet Fuel JP-4  
Pentane  
Coleman Powermax Fuel  
Vinyl Chloride  
Ethylene Chloride  
Isoprene  
Propylene

**Class IB**

Acetone  
Benzene  
Coal Tar Oil  
Coleman Fuel  
Denatured Alcohol  
Acrolein  
Chlorobenzene  
Methyl Alcohol (Methanol)  
Hexane  
Styrene  
Methyl Ethyl Ketone (MEK)  
Naphtha, VM & P Crude  
Petroleum  
Toluene  
Lacquer Thinner  
Ethyl Alcohol Heptane

Vinyl Acetate  
Xylene

**Class IC**

Turpentine  
Whiskey

**Combustible Liquids**

**Class II**

Acetic Acid  
Camphor Oil  
Cellosolve Solvent

**Combustible Liquids**

**Class II (Continued)**

Fuel Oil, No. 1 & 1-D  
Jet Fuel, JP-5 & JP-6  
Kerosene  
Mineral Spirits  
Naphtha  
Stoddard Solvent

**Class IIIA**

Brake Fluid  
Creosote  
Phenol  
Diesel Fuel (65 Diesel Index)  
Fuel Oil, No. 2, 2-D, 4, 5, 6